| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|--|---------------------|---------|------------------|
| L3 | 1 | "10/396118" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2007/05/22 16:05 |
| L4 | . 1 | 10/665080 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L5 | 11 | (counter with reverse with bit) with alternate\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L6 | 2461 | 455/296 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L7 | 1 | (counter with reverse with cycle) with alternate\$2 and EMI | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L8 | 295 | 375/287 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:07 |
| L9 ` | 12 | (counter with reverse with cycle) with alternate\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |

Page 1

| | | | • | | | |
|-----|-----|---|--|----|----|------------------|
| L10 | 174 | ((control) with counter with (opposite or negative or invert\$3)) with alternate\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L11 | 2 | "4,528,662".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L12 | 2 | "6,242,965".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L13 | 2 | "6,317,476".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L14 | 4 | "4,408,283".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L15 | 4 | "4408283".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L16 | 2 | "5612956".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OŅ | 2007/05/22 16:05 |

| L17 | 2 | ((control) with counter with (opposite or negative or invert\$3) with alternate\$2 with (n adj bit)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2007/05/22 16:05 |
|-----|-----|--|--|----|------|------------------|
| L18 | 1 | ((control) with counter with (opposite or negative or invert\$3) with alternate\$2 with (n adj bit)) and ((voltage) with oscillator) and emi | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L19 | 1 | ((control) with counter with (opposite or negative or invert\$3) with alternate\$2) and ((voltage) with oscillator) and emi | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L20 | 32 | ((control) with counter with (opposite or negative or invert\$3) with alternate\$2) and ((voltage) with oscillator) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L21 | 987 | ((control) with counter with (opposite or negative or invert\$3)) and ((voltage) with oscillator) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L22 | 37 | (((electromagnetic adj interference) or EMI) with (cancellation or reduction)) and ((control) with counter) and ((voltage) with oscillator) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L23 | 4 | (((electromagnetic adj interference) or EMI) with (cancellation or reduction)) and ((control adj signal) with counter) and ((voltage adj control) with oscillator) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |

| | _ | | LIC DCDLID | OD | ON | 2007/05/22 16:05 |
|-----|------|---|--|----|------|------------------|
| L24 | . 2 | ((electromagnetic adj interference adj cancellation)) and ((control adj signal) with counter) and ((voltage adj control) with oscillator) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L25 | 11 | ("5731728" "5736893" "6107851" "62 29366" "6249876").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L26 | 4 | emi with (reduction or cancellation or reduce or cancel).ti. and counter and oscillator | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L27 | 4014 | 375/346 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L28 | 1 | L21 and L27 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L29 | 1268 | 713/501 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L30 | 44 | Balakrishnan.in. and EMI | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2007/05/22 16:05 |

| L31 | 133 | emi with (reduction or cancellation or reduce or cancel).ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2007/05/22 16:05 |
|-----|------|--|--|----|------|------------------|
| L32 | 2476 | emi.ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L33 | 1 | L21 and L6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L34 | 1059 | Balakrishnan.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2007/05/22 16:05 |
| L35 | 10 | emi with (reduc\$4 or cancellat\$3).ti. and counter and oscillator | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |
| L36 | 0 | L21 and L8 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:08 |
| L37 | . 1 | L21 and L29 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:05 |

| L38 | 2046 | 375/285 | US-PGPUB; | OR | ON | 2007/05/22 16:07 |
|-----|------|--|--|----|----|------------------|
| | 2010 | · | USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | | | |
| L39 | 0 | L21 and L38 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:08 |
| L40 | 1 | counter and (("n-bit" adj signal) with opposite) and (voltage near control) and oscillator | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:10 |
| L41 | 1 | counter and (("n-bit" adj signal) same opposite) and (voltage near control) and oscillator | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:10 |
| L42 | 14 | counter and (("n-bit" adj signal)) and (voltage near control) and oscillator | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:12 |
| L43 | 1 | counter and (("n-bit" adj signal)) and (voltage near control) and oscillator and EMI | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:12 |
| L44 | 1 | (counter and (("n-bit" adj signal)) and (voltage near control) and oscillator). clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:13 |

| L45 | 2 | "6114915".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:14 |
|-----|---|---------------|--|----|----|------------------|
| L46 | 2 | "5349309".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/22 16:14 |

| Web | <u>Images</u> | <u>Video</u> | News | <u>Maps</u> | <u>Gmail</u> | more ▼ | Sign in |
|------------|---------------|--------------|----------|-------------|----------------|---|---------------|
| <u>Goo</u> | g <u>le</u> | | cou | ınter "n- | bit signa | Il" "voltage control" oscillatc Search Advanced Sear Preferences | c <u>h</u> |
| We | b | R | esults 1 | I - 3 of 3 | for <u>cou</u> | nter "n-bit signal" "voltage control" oscillator. (| 0.49 seconds) |

Tip: Try removing quotes from your search to get more results.

EMI cancellation method and system - Patent 20040096020 The oscillator receives the voltage of the voltage control unit as a high ... cycle of the

counter, the n-bit signal being counted by the n-bit counter. ...

www.freepatentsonline.com/20040096020.html - 36k - Cached - Similar pages

Programmable wide-range frequency synthesizer - Patent 6114915

Because VCO 106 is implemented by a programmable ring oscillator, the resynchronization between K counter 112 and M counter 110 becomes a challenging task.

www.freepatentsonline.com/6114915.html - 43k - Cached - Similar pages [More results from www.freepatentsonline.com]

Second order phase locked loop - US Patent 5349309

The voltage control oscillating circuit which lower the gain of phase locked ... The counter 4 emits this count value to the adder 6 as the n-bit signal. ... www.patentstorm.us/patents/5349309-description.html - 34k - Cached - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.

If you like, you can repeat the search with the omitted results included.

| Download Google Pack: free essential software for your PC | |
|--|---|
| | |
| counter "n-bit signal" "voltage contro Search | |
| Search within results Language Tools Search Tips Dissatisfied? Help us improve | , |
| | |

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

<u>Sign in</u> Web Images Video News Maps Gmail more <u>Google</u> Advanced Search counter "bit signal" "voltage control" oscillator I | Search Results 1 - 9 of 9 for <u>counter</u> "<u>bit signal</u>" "<u>voltage control</u>" <u>oscillator</u> EMI. (0.39 seconds) Web

Tip: Try removing quotes from your search to get more results.

EMI cancellation method and system - Patent 20040096020

In an EMI canceller, a control signal generation unit includes a counter, ... The oscillator receives the voltage of the voltage control unit as a high ... www.freepatentsonline.com/20040096020.html - 36k - Cached - Similar pages

Light sensing dimming control system for gas discharge lamps ... a conversion circuit connected to the voltage control oscillator to receive ... The six bit signal created by the counting circuit 37 represents the desired ... www.freepatentsonline.com/6188177.html - 78k - Cached - Similar pages [More results from www.freepatentsonline.com]

[PDF] A 21-level (line-to-line) BTB system based on series connection of ...

File Format: PDF/Adobe Acrobat

6-bit signal. The signal θ . 1lead. can be considered as the output. of a 24576 (= 48 × 2. 9.)

step counter. As a result, taking the upper six-bits of θ ...

ieeexplore.ieee.org/iel5/9338/29651/01348659.pdf - Similar pages

[PDF] Derwent

File Format: PDF/Adobe Acrobat - View as HTML

depending on the combination of the output bit signal. As a result, the frequency. of the

output clock signal (OUT) varies, thus decreasing EMI noise. ...

scientific.thomson.com/media/dw/productpdfs/itppdfs/itelpul.pdf - Similar pages

Matrixsynth: Sequencer

Dual x 20-Bit audio inputs for internal oscillator/filter/fx ... Multiple gestures are stored in different Banks and can be selected by voltage control ... matrixsynth.blogspot.com/.../label/Sequencer?updated-max=2007-01-18T21%3A04%3A00-08%3A00&max-results=20 - 250k - Supplemental Result - Cached - Similar pages

[PDF] Xilinx UG196 Virtex-5 RocketIO GTP Transceiver user guide

File Format: PDF/Adobe Acrobat

Using an external oscillator to drive GTP dedicated clock routing ... RXCHARISCOMMA is a two-bit signal. Bit 0 corresponds to the. lower byte of RXDATA, ... www.xilinx.com/bvdocs/userguides/ug196.pdf - Similar pages

[PDF] Xilinx UG196 Virtex-5 RocketIO GTP Transceiver user guide

File Format: PDF/Adobe Acrobat

RXCHARISCOMMA is a two-bit signal. Bit 0 corresponds to the ... Provide AC coupling between the oscillator output pins and the Virtex-5 dedicated ...

direct.xilinx.com/bvdocs/userguides/ug196.pdf - Similar pages

LASER RECORDING SYSTEM WITH BOTH SURFACE DEFECT AND DATA ERROR ...

Thus, the voltage control oscillator and its feedback loop provide a frequency ... The segment verify bit signal associated with the segment bit is examined ... www.wikipatents.com/3657707.html - 238k - Cached - Similar pages

Automatic fine tuning circuit - Patent # 4121254 - PatentGenius

If the frequency f.sub.l of the local **oscillator** is higher than it should be by an ... The highest significant **bit signal** from the **counter** 31 is A.sub.4, ... www.patentgenius.com/patent/4121254.html - 80k - Supplemental Result - Cached - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 9 already displayed.

If you like, you can repeat the search with the omitted results included.


Try Google Desktop: search your computer as easily as you search the web.

counter "bit signal" "voltage control" | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

SCIFUS for scientific information only



Contact Us Advisory Board Submit Web Site About Us Newsroom Help **Basic Search** Advanced Search Search Preferences Search counter AND "bit signal" AND "voltage control" AND os: ☑ Journal sources ☑ Preferred Web sources ☑ Other Web sources ☐ Exact phrase :All of the words:counter AND "bit signal" AND "voltage control" AND oscillator AND EMI Searched for:: :7 total | 0 journal results | 7 preferred web results | 0 other web results Found:: :relevance | date Sort by:: Email checked results Export checked results Save checked results Re us 1. Light sensing dimming control system for gas discharge lamps for Adamson, Hugh Patrick / Langer, George O., UNITED STATES PATENT AND che TRADEMARK OFFICE GRANTED PATENT, Feb 2001 ...circuit 18 comprises a voltage controlled oscillator (VCO) 23 (shown in FIG. 3) as part cor of...magnitude of the voltage signal so that the voltage control signal conducted to the dat VCO 23 is within...is in a particular state, a digital counter 37 actively counts clock for pulses and... Full text available at patent office. For more in-depth searching go to CexisNexis gal gal view all 7 results from Patent Offices similar results <u>rec</u> 2. HIGH DENSITY PERMANENT DATA STORAGE AND RETRIEVAL SYSTEM <u>sec</u> UNITED KINGDOM PATENT APPLICATION, Mar 1973 sto ...means may comprise a crystal controlled oscillator. In one embodiment of the Or invention...and wherein said voltage controlled oscillator is synchronized toa 55,the reference...reference clock and the voltage controlled oscillator is syn-chronized to the Αl reference clock... Full text available at patent office. For more in-depth searching go to LexisNexis-F view all 7 results from Patent Offices similar results 3. LASER RECORDING UNIT UNITED KINGDOM PATENT APPLICATION, Mar 1973 PATENT SPECIFICATION (11) 1309 102 DRAWINGS ATTACHED (21) Application No 12901/70 (22) Filed 17 March 1970 (311) Convention Application No 807 553 (32) Filed 17 Mlarch 1969 in (33) United States of America (US) (44) Complete Specification published 7 March 1973 (51) Internmudonal Full text available at patent office. For more in-depth searching go to LexisNexis view all 7 results from Patent Offices similar results 4. LASER RECORDING SYSTEM UNITED KINGDOM PATENT APPLICATION, Mar 1973

PATENT SPECIFICATION DRAWINGS ATTACHED (21) Application No 12900/70 (22) Filed 17 March 1970 (3,1) Convention Applicatiom No 807 548 i(32) Filed 17 March

1969 in (33) United States of America (US) (44) Complete Spedification published 7 March 1973 (51) International Classificiaion Gli B 7/00 Full text available at patent office. For more in-depth searching go to LexisNexis view all 7 results from Patent Offices similar results 5. HIGH DENSITY PERMANENT DATA STORAGE AND RETRIEVAL SYSTEM DELL HAROLD R / LARA EDWARD D / HASHIGUCHI MASAO, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Jan 1972 ...of a computing reading of data, and the synchronous clock, which may be a system or temporary storage. crystal-controlled oscillator, provides timing control signals It is an object of the present invention to provide a new and 10 for the sequencing logic... Full text available at patent office. For more in-depth searching go to LexisNexis* view all 7 results from Patent Offices similar results 6. LASER RECORDING SYSTEM USING DRUM MOUNTED RECORD STRIPS MCFARLAND KEITH E / BECKER CARL H / DELL HAROLD R / WONG HERMAN / FRENCH BALLARD D / HASHIGUCHI MASAO, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Apr 1972 A laser recording system for scanning a modulated laser beam in spaced parallel lines across a flat elongated strip of energy absorbing material and for ablating minute regions from the material in a linear pattern representing digital bits according to ... Full text available at patent office. For more in-depth searching go to LexisNexis view all 7 results from Patent Offices similar results 7. LASER RECORDING SYSTEM WITH BOTH SURFACE DEFECT AND DATA ERROR CHECKING UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Apr 1972 This invention relates to a new and improved laser record- ablates in the form of data tracks, an energy-absorbing inforing system for permanently recording digital data at high den- 5 mation storage medium during recording. Digital information sity on an energy-absorbing information storage medium Full text available at patent office. For more in-depth searching go to LexisNexis* view all 7 results from Patent Offices similar results

Downloads | Subscribe to News Updates | User Feedback | Advertising Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2007

SCIFUS for scientific information only



Contact Us Submit Web Site About Us Newsroom Advisory Board Help Advanced Search Preferences **Basic Search** Search counter AND "n-bit signal" AND "voltage control" AND ☑ Journal sources ☑ Preferred Web sources ☑ Other Web sources ☐ Exact phrase :All of the words:counter AND "n-bit signal" AND "voltage control" AND oscillator Searched for:: :6 total | 0 journal results | 6 preferred web results | 0 other web results Found:: :relevance | date. Sort by:: Export checked results Email checked results Save checked results Or Αl 1. Phase locked loop Fujii, Takashi, EUROPEAN PATENT APPLICATION, Oct 1993 ...up-down counter. This counter 4, if the UP is entered...the internal up-down counter operates by +1, if the...changed any more. The counter 4 emits this count value to the F adder 6 as the n-bit signal. On the other hand...circuit comprises a quartz oscillator 34, an amplifier 35... Full text available at patent office. For more in-depth searching go to CexisNexisview all 6 results from Patent Offices similar results 2. Programmable wide-range frequency synthesizer Huang, Joseph / Wang, Xiaobao / Sung, Chiakang / Wang, Bonnie I. / Nguyen, Khai / Yeung, Wayne / Kim, In Whan, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Sep 2000 ...stages of the ring oscillator. Multiplexer 302-32...third-second stage of the ring oscillator or the output of the ... stages of the ring oscillator. A critical aspect... speed at which these counters operate is a major...MUX 406 receives an N-bit signal from a cycle selection... Full text available at patent office. For more in-depth searching go to CexisNexisview all 6 results from Patent Offices similar results 3. METER INTERROGATION SYSTEMS UNITED KINGDOM PATENT APPLICATION, Oct 1975 PATENT SPECIFICATION (21) Application No 23069/73 (22) Filed 15 May 1973 (44) Complete Specification published 8 October 1975 (51) INT CL 2 H 04 Q 9/00 f I GO 8 C 19/14 (52) Index at acceptance G 4 H 12 G 13 D 14 X 23 D 7 A 3 7 B 13 F 23 G 7 L 14 A 3 X NC 2 14 B 14 D 6 B 6 F (54) METER Full text available at patent office. For more in-depth searching go to CexisNexisview all 6 results from Patent Offices similar results 4. METER INTERROGATION SYSTEM HAVING STROBE LOGIC CONTROL LUSK J / ROOD W / FELDMAN H, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, May 1973

...problems enthat make up a central control unit and a transponder countered in transmitting and receiving data from cenunit. 1 5 tral control...reverts of comparison unit shifts the contents of register counter 73 to its A state. Interval decoder 74 may be 112 to modem...

Full text available at patent office. For more in-depth searching go to CexisNexist view all 6 results from Patent Offices similar results

5. Second order phase locked loop

Fujii, Takashi, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Sep 1994

...changed any more. The counter 4 emits this count...adder 6 as the n-bit signal. On the other hand...emits 0, as the **n-bit signal**. The adder 6 adds the output of the counter 4 and the output...terminals of the quartz oscillator 34; load capacitors... Full text available at patent office. For more in-depth searching go to LexisNexisview all 6 results from Patent Offices similar results

6. METER INTERROGATION SYSTEMS

UNITED KINGDOM PATENT APPLICATION, Oct 1975

(21) Application No 1159/75 (62) (44) (51) (22) Filed 15 May 1973 Divided out of No 1409489 Complete Specification published 8 October 1975 INT CL 2 H 04 Q 9/00 11 GO 8 C 19/14 (52) Index at acceptance G 4 H 12 G 13 D 13 F 14 A 14 B 14 D 14 X 23 D 23 G 3 X 6 B 6 F 7 A 3 7 B 7 L NC 2 (72)

Full text available at patent office. For more in-depth searching go to LexisNexisview all 6 results from Patent Offices similar results

Downloads | Subscribe to News Updates | User Feedback | Advertising Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2007



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

LD:Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((counter<in>metadata) <and> (voltage control<in>metadata))<and> (osc..."
Your search matched 29 of 1574558 documents.

⊠ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

| » Search O | ptions | Modify Search | | | | | |
|------------|-----------------------------|---------------|--|--|--|--|--|
| View Sessi | on History | ((cou | ounter <in>metadata) <and> (voltage control<in>metadata))<and> (oscillator<i search="" td="" ="" <=""></i></and></in></and></in> | | | | |
| New Searc | <u>h</u> | Г c | Check to search only within this results set | | | | |
| | | Displ | play Format: . ⑥ Citation . C Citation & Abstract | | | | |
| » Key | | | | | | | |
| IEEE JNL | IEEE Journal or Magazine | ← viev | ew selected items Select All Deselect All | | | | |
| IET JNL | IET Journal or Magazine | | 1. The architecture of delta sigma analog-to-digital converters using a volta | | | | |
| IEEE CNF | IEEE Conference Proceeding | | oscillator as a multibit quantizer Iwata, A.; Sakimura, N.; Nagata, M.; Morie, T.; | | | | |
| IET CNF | IET Conference | | Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transaction | | | | |
| IEEE STD | Proceeding IEEE Standard | | <u>Circuits and Systems II: Express Briefs, IEEE Transactions on]</u> Volume 46, Issue 7, July 1999 Page(s):941 - 945 Digital Object Identifier 10.1109/82.775391 | | | | |
| | | | AbstractPlus References Full Text: PDF(208 KB) IEEE JNL Rights and Permissions | | | | |
| | | C | 2. Study of 1 MHz /spl sim/ 30 MHz voltage-controlled LC oscillator Xiaohui Ye; Qiang Wu; Zheng Euang; Yong Liu; Radio Science Conference, 2004. Proceedings. 2004 Asia-Pacific 24-27 Aug. 2004 Page(s):280 - 282 Digital Object Identifier 10.1109/APRASC.2004.1422459 | | | | |
| | | | AbstractPlus Full Text: PDF(1761 KB) IEEE CNF Rights and Permissions | | | | |
| | | | 3. A wide tuning range gated voltage-controlled oscillator Bowman, T.G.; Weiss, F.G.; Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1989. Technical Di- Annual 22-25 Oct. 1989 Page(s):197 - 200 Digital Object Identifier 10.1109/GAAS.1989.69325 | | | | |
| | | | AbstractPlus Full Text: PDF(316 KB) IEEE CNF Rights and Permissions | | | | |
| | | П | 4. Dual-chip GaAs monolithic integration Ku-band phase-locked-loop micro synthesizer Ohira, T.; Muraguchi, M.; Hirota, T.; Osafune, K.; Ino, M.; Microwave Theory and Techniques, IEEE Transactions on Volume 38, Issue 9, Sept. 1990 Page(s):1204 - 1209 Digital Object Identifier 10.1109/22.58644 | | | | |
| | | | AbstractPlus Full Text: PDF(572 KB) IEEE JNL Rights and Permissions | | | | |
| | | П | 5. Comments on `State-preserving intermittently locked loop (SPILL) freque for portable radio' [and reply] | | | | |

Thiel, D.V.; Saito, S.; Microwave Theory and Techniques, IEEE Transactions on Volume 38, Issue 10, Oct. 1990 Page(s):1532 Digital Object Identifier 10.1109/22.58701 AbstractPlus | Full Text: PDF(80 KB) IEEE JNL Rights and Permissions 6. A 14-GHz 256/257 dual-modulus prescaler with secondary feedback and i a monolithic CMOS 10.4-GHz phase-locked loop Dong-Jun Yang; O, K.K.; Microwave Theory and Techniques, IEEE Transactions on Volume 52, Issue 2, Feb. 2004 Page(s):461 - 468 Digital Object Identifier 10.1109/TMTT.2003.821918 AbstractPlus | References | Full Text: PDF(648 KB) IEEE JNL Rights and Permissions 7. Structural fault diagnosis in charge-pump based phase-locked loops Medury, A.; Carlson, I.; Alvandpour, A.; Stensby, J.; VLSI Design, 2005. 18th International Conference on 3-7 Jan. 2005 Page(s):842 - 845 Digital Object Identifier 10.1109/ICVD.2005.153 AbstractPlus | Full Text: PDF(79 KB) | IEEE CNF Rights and Permissions 8. A 2 GHz, 6 mW BiCMOS frequency synthesizer Aytur, T.; Razavi, B.; Solid-State Circuits Conference, 1995. Digest of Technical Papers. 42nd ISSC International 15-17 Feb. 1995 Page(s):264 - 265 Digital Object Identifier 10.1109/ISSCC.1995.535549 AbstractPlus | Full Text: PDF(180 KB) IEEE CNF Rights and Permissions 9. A Ku-band MMIC PLL frequency synthesizer Ohira, T.; Muraguchi, M.; Hirota, T.; Osafune, K.; Ino, M.; Microwave Symposium Digest, 1989., IEEE MTT-S International 13-15 June 1989 Page(s):1047 - 1050 vol.3 Digital Object Identifier 10.1109/MWSYM.1989.38902 AbstractPlus | Full Text: PDF(232 KB) IEEE CNF Rights and Permissions 10. Channel-Calculating Logic for a TV Tuning System П Hendrickson, M.; Merrell, R.; Consumer Electronics, IEEE Transactions on Volume CE-24, Issue 3, Aug. 1978 Page(s):364 - 380 Digital Object Identifier 10.1109/TCE.1978.267040 AbstractPlus | Full Text: PDF(2312 KB) | IEEE JNL Rights and Permissions 11. VCO Design With On-Chip Calibration System Vaananen, P.; Mikkola, N.; Helio, P.; Circuits and Systems I: Regular Papers, IEEE Transactions on [see also Circu Fundamental Theory and Applications, IEEE Transactions on] Volume 53. Issue 10. Oct. 2006 Page(s):2157 - 2166 Digital Object Identifier 10.1109/TCSI.2006.883844 AbstractPlus | Full Text: PDF(1120 KB) | IEEE JNL Rights and Permissions

12. Frequency-Counted Measurements and Phase Locking to Noisy Oscillato

| | Gray, R.; Tausworthe, R.; <u>Communications, IEEE Transactions on [legacy, pre - 1988]</u> Volume 19, Issue 1, Feb 1971 Page(s):21 - 30 |
|---|---|
| | AbstractPlus Full Text: PDF(904 KB) IEEE JNL Rights and Permissions |
| | 13. BIST scheme for DAC testing Chang, S.J.; Lee, C.L.; Chen, J.E.; Electronics Letters Volume 38, Issue 15, 18 July 2002 Page(s):776 - 777 Digital Object Identifier 10.1049/el:20020530 AbstractPlus Full Text: PDF(278 KB) IET JNL |
| | 14. A time-based analog-to-digital converter using a multi-phase voltage con Jaewook Kim; Seonghwan Cho; Circuits and Systems, 2006. ISCAS 2006. Proceedings. 2006 IEEE Internation 21-24 May 2006 Page(s):4 pp. Digital Object Identifier 10.1109/ISCAS.2006.1693489 AbstractPlus Full Text: PDF(336 KB) IEEE CNF Rights and Permissions |
| | 15. Phase jitter minimization in UHF band VCXO Bogomolov, D.V.; Frequency Control Symposium and PDA Exhibition, 2002. IEEE International 29-31 May 2002 Page(s):619 - 621 Digital Object Identifier 10.1109/FREQ.2002.1075956 |
| | AbstractPlus Full Text: PDF(286 KB) IEEE CNF Rights and Permissions |
| | 16. An architecture of Delta-Sigma A-to-D converters using a voltage control a multi-bit quantizer lwata, A.; Sakimura, N.; Nagata, M.; Morie, T.; Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE Internation volume 1, 31 May-3 June 1998 Page(s):389 - 392 vol.1 Digital Object Identifier 10.1109/ISCAS.1998.704448 |
| | AbstractPlus Full Text: PDF(340 KB) IEEE CNF Rights and Permissions |
| | 17. Fermilab booster low level RF system upgrades Webber, R.C.; Particle Accelerator Conference, 1995., Proceedings of the 1995 Volume 4, 1-5 May 1995 Page(s):2687 - 2689 vol.4 Digital Object Identifier 10.1109/PAC.1995.505660 AbstractPlus Full Text: PDF(276 KB) IEEE CNF Rights and Permissions |
| П | 18. Speed control of elastic force motors by means of integrated piezoelectric Racine, GA.; Beuret, C.; Luthier, R.; de Rooij, N.F.; Micro Electro Mechanical Systems, 1994, MEMS '94, Proceedings, IEEE Work 25-28 Jan. 1994 Page(s):124 - 129 Digital Object Identifier 10.1109/MEMSYS.1994.555610 AbstractPlus Full Text: PDF(548 KB) IEEE CNF Rights and Pagingsions |
| | Rights and Permissions 19. A programmable integrated digital controller for switching converters wire switching and complex pole-zero compensation Chui, M.YK.; Wing-Hung Ki; Chi-Ying Tsui; Solid-State Circuits, IEEE Journal of |

AbstractPlus | References | Full Text: PDF(736 KB) IEEE JNL Rights and Permissions 20. An adaptive frequency calibration technique for fast locking wideband fre synthesizers Tae-Won Ahn; Chan-Geun Yoon; Yong Moon; Circuits and Systems, 2005. 48th Midwest Symposium on 7-10 Aug. 2005 Page(s):1899 - 1902 Vol. 2 Digital Object Identifier 10.1109/MWSCAS.2005.1594496 AbstractPlus | Full Text: PDF(558 KB) IEEE CNF Rights and Permissions 21. A frequency synthesizer architecture using frequency difference detectic Albrecht, S.; Sumi, Y.; Ismail, M.; Tenhunen, H.; Circuits and Systems, 2003. MWSCAS '03. Proceedings of the 46th IEEE Inter Symposium on Volume 3, 27-30 Dec. 2003 Page(s):1155 - 1157 Vol. 3 AbstractPlus | Full Text: PDF(360 KB) IEEE CNF Rights and Permissions 22. A 12-bits resolver-to-digital converter using complex twin PLL for accura angle measurement Katakura, M.; Toda, A.; Takagi, Y.; Suzuki, N.; Kadoyama, T.; Kushihara, H.; VLSI Circuits, 2005. Digest of Technical Papers. 2005 Symposium on 16-18 June 2005 Page(s):236 - 239 Digital Object Identifier 10.1109/VLSIC.2005.1469375 AbstractPlus | Full Text: PDF(381 KB) IEEE CNF Rights and Permissions 23. A low power, fast-switching frequency synthesizer of 5.2GHz WLANs Kuo-Hua Cheng; Cheng-Hung Chen; Jou, C.F.; Solid-State and Integrated Circuits Technology, 2004. Proceedings. 7th Interna Conference on Volume 2, 18-21 Oct. 2004 Page(s):1492 - 1495 vol.2 Digital Object Identifier 10.1109/ICSICT.2004.1436888 AbstractPlus | Full Text: PDF(212 KB) IEEE CNF Rights and Permissions 24. An efficient all-digital built-in self-test for chargepump PLL Junseok Han; Dongsup Song; Sungho Kang; Advanced System Integrated Circuits 2004. Proceedings of 2004 IEEE Asia-P. 4-5 Aug. 2004 Page(s):80 - 83 Digital Object Identifier 10.1109/APASIC.2004.1349411 AbstractPlus | Full Text: PDF(415 KB) IEEE CNF Rights and Permissions 25. A CMOS mixed-signal interface with a RF transmitter for a micromachine sensor Morais, R.; Valente, A.; Correia, J.H.; Couto, C.; Industrial Electronics, 2003. ISIE '03. 2003 IEEE International Symposium on Volume 2, 9-11 June 2003 Page(s):952 - 955 vol. 2 AbstractPlus | Full Text: PDF(558 KB) IEEE CNF

Volume 40, Issue 3, Mar 2005 Page(s):772 - 780 Digital Object Identifier 10.1109/JSSC.2005.843626

Rights and Permissions

Indexed by 图 Inspec®

Help Contact Us · Privacy &:

© Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

| Results for "(((counter <in>metadata) <and> (voltage control<in>metadata))<and> (os</and></in></and></in> | " |
|--|---|
| Vaurage and matched 45 of 4574559 documents | |

⊠e-mail

| A maximum | of 100 results are displaye | ed, 25 to a page, sorted by Relevance in Descending order. |
|----------------------|------------------------------------|---|
| » Search O | ptions | Marks Count |
| View Session History | | Modify Search (((counter <in>metadata) <and> (voltage control<in>metadata))<and> (oscillator< Search</and></in></and></in> |
| New Search | | (((counter < in > metadata) < and > (voitage control < in > metadata) |
| | - | Check to search only within this results set |
| » Key | | Display Format: |
| IEEE JNL | IEEE Journal or Magazine | view selected items Select All Deselect All |
| IET JNL | IET Journal or Magazine | |
| IEEE CNF | IEEE Conference Proceeding | The architecture of delta sigma analog-to-digital converters using a volta oscillator as a multibit quantizer |
| IET CNF | IET Conference Proceeding | Iwata, A.; Sakimura, N.; Nagata, M.; Morie, T.; Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactic |
| IEEE STD | IEEE Standard | Circuits and Systems II: Express Briefs, IEEE Transactions on] Volume 46, Issue 7, July 1999 Page(s):941 - 945 Digital Object Identifier 10.1109/82.775391 |
| | | AbstractPlus References Full Text: PDF(208 KB) IEEE JNL Rights and Permissions |
| | | 2. A wide tuning range gated voltage-controlled oscillator Bowman, T.G.; Weiss, F.G.; Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1989. Technical Di- Annual 22-25 Oct. 1989 Page(s):197 - 200 Digital Object Identifier 10.1109/GAAS.1989.69325 |
| | | AbstractPlus Full Text: PDF(316 KB) IEEE CNF Rights and Permissions |
| | | 3. Dual-chip GaAs monolithic integration Ku-band phase-locked-loop micro synthesizer Ohira, T.; Muraguchi, M.; Hirota, T.; Osafune, K.; Ino, M.; Microwave Theory and Techniques, IEEE Transactions on Volume 38, Issue 9, Sept. 1990 Page(s):1204 - 1209 Digital Object Identifier 10.1109/22.58644 |
| | | AbstractPlus Full Text: PDF(572 KB) IEEE JNL Rights and Permissions |
| | | 4. Comments on `State-preserving intermittently locked loop (SPILL) freque for portable radio' [and reply] Thiel, D.V.; Saito, S.; Microwave Theory and Techniques, IEEE Transactions on Volume 38, Issue 10, Oct. 1990 Page(s):1532 Digital Object Identifier 10.1109/22.58701 AbstractPlus Full Text: PDF(80 KB) IEEE JNL Rights and Permissions |

| | Aytur, T.; Razavi, B.; Solid-State Circuits Conference, 1995. Digest of Technical Papers, 42nd ISSC International 15-17 Feb. 1995 Page(s):264 - 265 Digital Object Identifier 10.1109/ISSCC.1995.535549 |
|------------|---|
| | AbstractPlus Full Text: PDF(180 KB) IEEE CNF Rights and Permissions |
| | 6. A Ku-band MMIC PLL frequency synthesizer Ohira, T.; Muraguchi, M.; Hirota, T.; Osafune, K.; Ino, M.; Microwave Symposium Digest, 1989., IEEE MTT-S International 13-15 June 1989 Page(s):1047 - 1050 vol.3 Digital Object Identifier 10.1109/MWSYM.1989.38902 AbstractPlus Full Text: PDF(232 KB) IEEE CNF |
| | Rights and Permissions |
| | 7. Channel-Calculating Logic for a TV Tuning System Hendrickson, M.; Merrell, R.; Consumer Electronics, IEEE Transactions on Volume CE-24, Issue 3, Aug. 1978 Page(s):364 - 380 Digital Object Identifier 10.1109/TCE.1978.267040 AbstractPlus Full Text: PDF(2312 KB) IEEE JNL |
| | Rights and Permissions |
| П | Frequency-Counted Measurements and Phase Locking to Noisy Oscillato Gray, R.; Tausworthe, R.; Communications, IEEE Transactions on [legacy, pre - 1988] Volume 19, Issue 1, Feb 1971 Page(s):21 - 30 |
| | AbstractPlus Full Text: PDF(904 KB) IEEE JNL Rights and Permissions |
| | 9. BIST scheme for DAC testing Chang, S.J.; Lee, C.L.; Chen, J.E.; Electronics Letters Volume 38, Issue 15, 18 July 2002 Page(s):776 - 777 Digital Object Identifier 10.1049/el:20020530 |
| | AbstractPlus Full Text: PDF(278 KB) IET JNL |
| | 10. Phase jitter minimization in UHF band VCXO Bogomolov, D.V.; Frequency Control Symposium and PDA Exhibition, 2002. IEEE International 29-31 May 2002 Page(s):619 - 621 Digital Object Identifier 10.1109/FREQ.2002.1075956 |
| | AbstractPlus Full Text: PDF(286 KB) IEEE CNF Rights and Permissions |
| 口 | 11. An architecture of Delta-Sigma A-to-D converters using a voltage control a multi-bit quantizer lwata, A.; Sakimura, N.; Nagata, M.; Morie, T.; Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE Interna |
| | on Volume 1, 31 May-3 June 1998 Page(s):389 - 392 vol.1 Digital Object Identifier 10.1109/ISCAS.1998.704448 AbstractPlus Full Text: PDF(340 KB) IEEE CNF |
| | Rights and Permissions |
| . : | 12. Fermilab booster low level RF system upgrades Webber, R.C.; Particle Accelerator Conference, 1995., Proceedings of the 1995 |

Volume 4, 1-5 May 1995 Page(s):2687 - 2689 vol.4 Digital Object Identifier 10.1109/PAC.1995.505660 <u>AbstractPlus</u> | Full Text: <u>PDF(276 KB)</u> IEEE CNF <u>Rights and Permissions</u>

13. Speed control of elastic force motors by means of integrated piezoelectri Racine, G.-A.; Beuret, C.; Luthier, R.; de Rooij, N.F.;

Micro Electro Mechanical Systems, 1994, MEMS '94, Proceedings, IEEE Work 25-28 Jan. 1994 Page(s):124 - 129

Digital Object Identifier 10.1109/MEMSYS.1994.555610

AbstractPlus | Full Text: PDF(548 KB) IEEE CNF

Rights and Permissions

14. A micro-power precision switched-capacitor charge meter system for impredical devices.

Zadeh, A.E.;

Circuits and Systems, 2000. Proceedings of the 43rd IEEE Midwest Symposiu Volume 3, 8-11 Aug. 2000 Page(s):1068 - 1072 vol.3 Digital Object Identifier 10.1109/MWSCAS.2000.951400

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(696 KB) | **IEEE CNF** Rights and Permissions

15. A design of programmable wide bandwidth current source for an impeda system

Wang, W.; Cheng, Z.; McCormick, M.;

Engineering in Medicine and Biology Society, 1996. Bridging Disciplines for Bioproceedings of the 18th Annual International Conference of the IEEE Volume 2, 31 Oct.-3 Nov. 1996 Page(s):800 - 801 vol.2

Digital Object Identifier 10.1109/IEMBS.1996.651983

AbstractPlus | Full Text: PDF(152 KB) IEEE CNF Rights and Permissions

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

indexed by inspec"



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((counter<in>metadata) <and> (voltage control<in>metadata))<and> (emi..."

🖾 e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

((counter<in>metadata) <and> (voltage control<in>metadata))<and> (emi<in>me

Display Format:

© Citation C Citation & Abstract

Search

Check to search only within this results set

» Key

IEEE Journal or

Magazine

IET JNL

IEEE JNL

. IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

Indexed by 面 Inspec*

| PALM Intrane | •t | | | | | |
|------------------------------------|----------------|------------------|-----------------|------------|--------------------------|------------|
| Application Number | | Sub | omit. | | | |
| IDS Flag Cle IDS Information | earance for Ap | plication 1066 | 5080 | | | |
| | Content | Mailroom Date | Entry Number | IDS Review | Last Modified | Reviewer |
| | WIDS | 2004-03-12 | 10 | Y | 2007-05-09 00:00:00.0 | CR #232884 |
| 1 | Update | | | | | |

PALM INTRANET

Day: Tuesday Date: 5/22/2007

Time: 14:55:58

Continuity Information for 10/665080

Parent Data No Parent Data

Child Data

| No Child Data Apple Info Contents Petition Info | Atty/Agent | Info Continuity/Reex | (am Foreign Data |
|---|------------|----------------------|------------------|
| Search Another: Application# | Search | or Patent# | Search |
| PCT / | Search | or PG PUBS # | Search |
| Attorney Docket # | | Search | |

Search

Bar Code #

Back to PALM | ASSIGNMENT | OASIS | Home page

To go back use Back button on your browser toolbar.

PALM INTRANET

Day: Tuesday Date: 5/22/2007

Time: 14:56:03

Foreign Information for 10/665080

| Priority# | Date | Country | |
|---|--|--|--------------|
| 2002-66134 | 10/29/2002 | REPUBLIC OF KOREA | |
| Applin Info Contents Search Another: Ap | and the second of the second o | Atty/Agent Info Continuity/Reexam Search or Patent# | Foreign Data |
| PCT | / | Search or PG PUBS # | Search |
| A 440x | ney Docket # | Search | |
| Attor | | | |

To go back use Back button on your browser toolbar.

Day: Tuesday Date: 5/22/2007

Time: 14:56:07

PALM INTRANET

Inventor Information for 10/665080

| Inventor Name | City | State/Country |
|--------------------------|-------------------------------|------------------------------------|
| JANG, KYUNG-OUN | INCHEON-CITY | KOREA, REPUBLIC OF |
| KIM, EUNG-SUEN | INCHEON-CITY | KOREA, REPUBLIC OF |
| Appln Info Contents | Petition Info Atty/Agent Info | Continuity/Reexam Foreign |
| Search Another: Applicat | | or Patent# Search PG PUBS # Search |
| Attorney I | Oocket # | Search |
| Bar Code | Search | |

To go back use Back button on your browser toolbar.

PALM INTRANET

Day: Tuesday Date: 5/22/2007

Time: 14:56:13

Inventor Name Search Result

Your Search was:

Last Name = JANG

First Name = KYUNG-OUN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|---------------|--------|------------|--|---------------------|
| 09643534 | 6381151 | 150 | i I | HIGH EFFICIENCY SWITCHING CONTROLLER | JANG, KYUNG- OUN |
| 09761902 | 6507080 | 150 | 01/17/2001 | MOS TRANSISTOR AND FABRICATION METHOD THEREOF | JANG, KYUNG- OUN |
| 10300293 | 6853040 | 150 | 11/20/2002 | MOS TRANSISTOR AND FABRICATION METHOD THEREOF | JANG, KYUNG- OUN |
| 10665080 | Not Issued | 41 | 09/16/2003 | EMI cancellation method and system | JANG, KYUNG- OUN |
| 10698056 | 6972971 | 150 | 10/29/2003 | PULSE WIDTH MODULATION SIGNAL GENERATOR AND SWITCHING MODE POWER SUPPLY INCLUDING THE SAME | JANG, KYUNG- OUN |
| 11639005 | Not Issued | 30 | 12/14/2006 | Current controlled switching mode power supply | JANG, KYUNG- OUN |

Inventor Search Completed: No Records to Display.

Search Another: Inventor JANG First Name KYUNG-OUN Search

To go back use Back button on your browser toolbar.



Day: Tuesday Date: 5/22/2007

Time: 14:56:25

Inventor Name Search Result

Your Search was:

Last Name = KIM

First Name = EUNG-SUEN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|---------------|--------|------------|--|----------------|
| 10665080 | Not Issued | 41 | | EMI cancellation method and system | KIM, EUNG-SUEN |
| 10698056 | 6972971 | 150 | | PULSE WIDTH MODULATION SIGNAL GENERATOR AND SWITCHING MODE POWER SUPPLY INCLUDING THE SAME | KIM, EUNG-SUEN |
| 11083474 | Not Issued | 41 | 1 | Terminal for multiple functions in a power supply | KIM, EUNG-SUEN |

Inventor Search Completed: No Records to Display.

| | Last Name | First Name | |
|--------------------------|-----------|------------|--------|
| Search Another: Inventor | KIM | EUNG-SUEN | Search |

To go back use Back button on your browser toolbar.



PALM INTRANET

Day: Tuesday Date: 5/22/2007

Time: 14:56:35

Correspondence Address for 10/665080

| Customer Number | Contact Information | Address | |
|-----------------------------|---|--|------------|
| 37803 | Telephone: (415)772-120 Fax: (415)397-4621 | 0 SIDLEY AUSTIN LLF 555 CALIFORNIA ST | |
| Delivery Mode: <u>PAPER</u> | E-Mail: No E-Mail Addre | 11 | |
| Apply Info Contents (| Petition Info | | am Foreign |
| PCT / | / Search | or PG PUBS # | Search |
| Attorney | y Docket # | Search | |
| Bar Cod | e# | Search | |

To go back use Back button on your browser toolbar.